

**Overview**
**Method Name**

Varies

**NY State Available**

No

**Specimen**
**Specimen Type**

Varies

**Specimen Required**

Varies

This is a Miscellaneous Referral Test. For specific requirements, please refer to the referred tests list under the catalog tab on the MCL Website (external) or the Referral Catalog (CRM) (internal). If unable to find the correct test, request forms, or specimen requirements, contact Customer Service at 1-800-533-1710 or 6-5700.

NOTE: Provide when ordering

1. Test name
2. Performing lab code
3. Specimen Type
4. Required consent and/or requisitions form including patient specific information, i.e. consent forms, clinical information, family history. Please contact Customer Service at 1-800-533-1710 or 6-5700 for required forms.

**Reject Due To**

Specimens other than	Varies
Anticoagulants other than	NA
Hemolysis	NA
Lipemia	NA
Icteric	NA

**Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Varies	Varies		

**Clinical and Interpretive**

---

**Reference Values**

Test Performed By: Prevention Genetics Lab

Diagnostics Lab

3700 Downwind Drive

Marshfield, WI 54449

**Performance****PDF Report**

Referral

**Day(s) and Time(s) Test Performed**

Varies

**Analytic Time**

Varies

**Maximum Laboratory Time**

Varies

**Performing Laboratory Location**

Prevention Genetics Lab Diagnostics Lab

**Fees and Codes****Fees**

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their Regional Manager. For assistance, contact [Customer Service](#).

**CPT Code Information**

Varies

**LOINC® Information**

Test ID	Test Order Name	Order LOINC Value
ZW194	Misc Prevention Genetics Lab	51991-8

Result ID	Test Result Name	Result LOINC Value
ZT194	Test Name	19145-2
ZR194	Result	19146-0
ZF194	Flag	No LOINC Needed

---

Result ID	Test Result Name	Result LOINC Value
ZV194	Reference Value	19147-8
ZU194	Unit of Measure	No LOINC Needed